


HANSAPOLO
single-lever bath mixer, DN 15 (G 1/2)
 for wall-mounting



Description

HANSAPOLO
 single-lever bath mixer, DN 15 (G 1/2)
 for wall-mounting

P-IX (submitted)
 flow rate: 20/19 l/min (spout/shower), at 3 bar hydraulic pressure

- body: DR brass (MS 63)
- operating lever (metal)
- (-) H+C symbol
- aerator
- diverter - automatic shower to bath reset
- shower outlet downward G 1/2
- eccentric connections DN 15 (G1/2)

projection: 158 mm

HANSA control cartridge classic 3.5

Item No.: 59913075

Qty: 1


- (-) ceramic discs with integrated grease wells
- (-) adjustable hot water stop
- (-) volume restrictor indefinitely variable up to approx. 6 l/min

HANSA control cartridge classic 3.5

Item No.: 59913075

Qty: 1


- (-) ceramic discs with integrated grease wells
- (-) adjustable hot water stop
- (-) volume restrictor indefinitely variable up to approx. 6 l/min

Model	Item No.
chrome	51442173 


Product Image




Product Drawing






Product Drawing



Product Drawing



Related Products

Image:	Description:	Model / Item No.:
	<p>HANSABASICJET wall bar set 600 mm</p>	<p>chrome 44780130</p>
	<p>HANSABASICJET Set for bath mixers</p>	<p>chrome 44680280</p>
	<p>HANSABASICJET Set for bath mixers</p>	<p>chrome 44680110</p>